

RT-1/RMIS

Access Control & Time Attendance Management System

User Manual

Rev: E1.0.3

Contents

Software Installation Wizard	5
Chapter One System Functional Properties	6
Chapter Two System Requirements	7
2.1 Hardware Requirements	7
2.2 Operation Environments	7
Chapter Three Software Installation	8
3.1 Software installation	8
3.2 Software Primary Service	9
Chapter Four Instruction of the Software Performance	14
4.1 User Management	14
4.1.1 Department Management	14
4.1.2 User Management	15
4.1.2.1 Personnel Registration	15
4.1.2.2 User Management	18
4.1.2.3 Device Connection	20
4.1.2.4 View	21
4.1.2.5 Refresh	21
4.1.2.6 Batch Edit	22
4.1.2.7 Import	22
4.1.2.8 Export	26
4.1.2.9 Query	27
4.1.2.10 Advanced for selecting person	29
4.2 Attendance Management	32
4.2.1 Manual IN/OUT	33
4.2.2 Leave Registration	36
4.2.3 Attendance Rule Management	39
4.2.3.1 Rule Options	39
4.2.3.2 Holiday	42
4.2.3.3 Weekend Settings	43
4.2.3.4 Duty Time	45
4.2.3.5 Shift	46
4.2.3.6 S-Group	48
4.2.4 Attendance Report	48
4.2.4.1 Clock-in/out Log	49
4.2.4.2 Access Control Log	53

4.2.4.3	Leave Registration Log	54
4.2.4.4	Daily Log Report	55
4.2.4.5	Daily Attendance Report	55
4.2.4.6	Statistical Analysis	57
4.2.4.7	Monthly Attendance Report	59
4.2.4.8	Import attendance record	60
4.2.4.9	Import Leave Log	62
4.2.4.10	Export and Print of Report	65
4.2.5	Shift Scheduling	65
4.2.5.1	Query for the scheduling information	66
4.2.5.2	Query for all the scheduling information	67
4.2.5.3	Edit the scheduling information	67
4.2.5.4	Template Scheduling	68
4.2.5.5	Import scheduling information	70
4.3	Device Management	72
4.3.1	Device Connection	72
4.3.1.1	Device Added	72
4.3.1.2	Edit Device Property	75
4.3.1.3	Delete Device	75
4.3.1.4	Refresh Device	75
4.3.1.5	Device Property - Normal	75
4.3.1.6	Device Property- Advanced	77
4.3.1.7	Device Property- Bell	79
4.3.1.8	Device Log- Scheduler	79
4.3.1.9	Device Property- Monitoring	80
4.3.1.10	Access Control Operation	80
4.3.2	Device and Data Download	88
4.3.2.1	U-Disk / SD Card Data Import	89
4.4	System Maintenance	90
4.4.1	Backup DB	90
4.4.2	Restore DB	92
4.4.3	Detailed settings for Maintenance	93
4.4.3.1	Normal:	93
4.4.3.2	Company's Information	94
4.4.3.3	Administrator	95
4.4.3.4	Data Maintenance	97
4.4.3.5	Image Management (Optional)	106

Software Installation Wizard

- 1) If your computer's system is the Windows XP system, then it must be installed the Microsoft .NET Framework 2.0. The Check.exe, below the **Framework Folder** in the Operation and Installation Disk, can automatically check the installation of the Framework.
- 2) If there is no **Microsoft Windows Installer 3.1 version** suggested in the process of the install, Please find the upgrading patch corresponding to the system in the Folder of "Windows Installer", install it and try again.
- 3) Directly delete the RIMS folder after installation if it needs to unload the RIMS.
- 4) The installation folder of the RIMS System is the Folder Setup.exe that below the RIMS directory in the Installation Disk.

Chapter One System Functional Properties

The RT Access Control & Time Attendance Management System, with the comprehensive performances such as the User Management, device management, attendance management access-control management and others, have been being continuously improved and updated.

System Functional Properties

- 1) The personnel and device management possess intelligent interaction.
- 2) The device management possesses asynchronously operational processing capacities.
- 3) The access control management possesses the intelligently real-time operating capacities.
- 4) The attendance management can assess, suggest and feedback intelligently.
- 5) The system maintenance possesses the functions of abnormal catch-up, break-down protection and intelligent backup DB.

The RT system contains five sub -systems, which are **User Management, attendance management, access control management, device management** and **system maintenance**.

Chapter Two System Requirements

2.1 Hardware Requirements

- CPU: above 1 GHz
- Memory: above 256MB
- Hard disk: The available data space of the hard disk must above 2 GB (require larger storage space as the increase in the attendance recorded data)
- Communication Port:
 - A. **RS232/485**: one COM port (if there is no COM port, it needs USB/COM converter cable)
 - B. **TCP/IP**: the port that connect the Local network and the ether-net one.
 - C. **USB**: Support the computer with USB port.

2.2 Operation Environments

Operation system: Windows XP, Windows Vista, Windows Server 2003/2008, Windows 7. **The RIMS software only works under the 32bit Operating System by now.**




Attention:

The Microsoft .NET Framework 2.0 needs the support of the Windows XP, Windows 2003 (it is contained in the software installation Disk)

Chapter Three Software Installation


3.1 Software installation

1. Get the installation process in the Folder Setup.exe of the RIMS directory in the Operation and Installation Disk. Click **Browse** in the popup installation wizard, and select the installation path. It is advised to select the non-system disk (default C Disc) to install, whose default installation directory is D:\RIMS. Click **Install** and start the installation system.



3.1-1

2. The installation process automatically inspects the system configuration and conducts the installation.




3.1-2

3. In the process of installation, sometimes the system automatically inspects Microsoft.NET Framework. If this program has not been installed, the system will automatically install it. The span time of this installation may be a little longer, please wait patiently.
4. Installation completed. The desktop and the start menu will set up the “RIMS” shortcut automatically after the installation.

3.2 Software Primary Service


The users, first register the personnel's fingerprints and record the registered number on the fingerprint attendance machine, and conduct soft-ware operation.

- Double click the **RIMS** shortcut icon on the desktop. Enter the welcome interface.



3.2-1

- According to the TIP, click **Next** and set the **administrator password**. Actually, this step can be skipped. Please set the password if it is necessary, and re-enter and confirm it.




3.2-2

- According to the TIP, Click **Next**, set up company's information, including the short & full for it as well as its LOGO representing its image.




3.2-3

- Click **Next** to enter **Set the Rule of Attendance** that can be established according to company's appraisal system. In the BOX, before the corresponding item, make the **【√】** to set the rules of attendance, then click **Next**. If click **Next** directly without settings, the system will conduct attendance according to the default attendance rules




3.2-4

- Click **Next** to enter **Set the Public Holidays** that can be added, edited and deleted. This default the New Year's Day, Labor Day and China's National Day as public holidays. Click **Add** for new holidays, click **Edit** to edit the current holidays, and click **Delete** to remove the current one selected.




3.2-5

- Click **Next** to enter **Set Weekend**, where you can add, edit and delete **Weekend** item. The system has defaulted the **Saturday and Sunday** as weekend break.




3.2-6

- Click **Next** to enter **Set Company's Duty Time**, and set up duty time according to company's working system.




3.2-7

- Click **Next** to enter the **Create Company's Department** to set up the company's departments according to the departmental composition of the company.



3.2-8

- Click **Next** to connect to **User Management** window for the import of personnel information, or to the **Device Management** window for operation setup, such as device link, or directly click **Finish** to skip to the software main interface



3.2-9

Chapter Four Instruction of the Software Performance


4.1 User Management

The **User Management** possesses the functions of Department Management, User Management, device connection and others.

4.1.1 Department Management

On the main menu, please click **User Management** → **Department Management** to add and edit departments in accordance with the structure of property and performance of the company. It is advised to arrange the departmental structure of the company before applying this operation. Before adding a department, click the above one first, then click Add to import the name of the department, finally click **Save**.

Click **Add** for adding more departments. As to adding the sub-department, click **the department** selected, **re-click Add** and choose it as the super department, then import the name of the sub-department and click Save. This method is also available to add multi-level ones.



4.1-1



Attentions:

It is not allowed to delete the department with sub-department or personnel information. But it is allowed to do so by deleting the sub-department first or move the personnel information to other departments.

4.1.2 User Management

The **User Management** aims to import & modify the basic information of the staff, including his department, enroll ID, user ID, name, gender, password, certificate number, date of entry, attendance rules and so on.

4.1.2.1 Personnel Registration

Click **User Management** on the main menu or **User Management** in next menu to enter the User Management window, and then click **New** for the establishment of the window of Personnel Information

Please prepare the personnel information including their departments, user ID, enroll ID that in accordance with the number of the attendance machine, name, gender, time of entry, shift, weekend and others.

First of all, import personnel basic information into the optional card of Basic Information. Select current department enrolling personnel on the left column, successively import the enroll ID ($1 \leq x \leq 65535$), name, user ID such as NO.001, finally select the option of Default Attendance.

4.1-2

Default attendance instruction:

1. Duty Time

This is only available to the company with simple off-on-duty working time (two time points). *For example: on-duty time at 9:00, off-duty time at 18:00, then we only need to set one duty time simply.*

2. Shift

This is available to various-duty-time attendance. Its shift is consisted of non-overlapping duty times. *For example: one company's on-duty time is 9:00-12:00 (set as Forenoon working time) and 13:00-18:00 (set as Afternoon working time), which can be combined into one shift for attendance.*


3. S-Group

It is available to the attendance of various and unfixed shifts or rotating shifts. The group is consisted of different shifts. For the group attendance, the system will automatically select the best shift for attendance statistic according to clock-in records. *For example: one company's duty time are: morning class (6:00-10:00), forenoon class (10:30-13:30), afternoon class(14:00-18:00), evening class(19:00-22:00).Then we can combine the morning class and the forenoon one into Shift 1, forenoon class and afternoon one into Shift 2, afternoon class and evening one into Shift3. Employees can clock-in by the Shift 1, Shift 2 and shift 3 consisted of them. What we only need to do is to set group for attendance instead of tedious re-schedule, because the system will automatically collate the Shift 1 and Shift 2 for attendance statistics according to the actual attendance record.*

Second, click **Extend Info** optional card, import personnel's entry date, position, date of birth, ID number, or leave blank space if un-necessary. Then click **Rule Options** and select the default weekend and others in optional card.


The screenshot shows a software window titled "User Information". It has three tabs: "Basic Info", "Extend Info", and "Rule Options". The "Extend Info" tab is selected. Inside this tab, there are several input fields: "Register Date" with a dropdown menu showing "07-02-2010", "Title" with a text box, "Birthday" with a dropdown menu showing "24-02-1985", "ID No." with a text box, "Phone" with a text box, "Email" with a text box, and "Address" with a text box. In the bottom right corner of the window, there is a blue circular arrow icon.

4.1-3




4.1-4

After the import, click **Save** to preserve personnel's information.



4.1-5

Click **Add** for adding more information on the Personnel Information, **Edit** for modifying current personnel's information, **Delete** for removing current personnel's registration and attendance record.



4.1-6




Attentions:

While registering Personnel Information, the Enroll ID in the Basic Information must remain the same with the one in the terminal. Otherwise, that will be different between the fingerprint & password and Personnel Information, leading to mistakes or failure on attendance.

4.1.2.2 User Management

After adding the Personnel Information, the User Management window will automatically add a little information card for the registration personnel. Click **Edit** on this card or right-click it, then we can conduct the operation of New, Edit, Delete, Get Enroll, Upload Username, Get Newly Log, Upload Enroll, Delete Enroll, Demission and others.



4.1-7

1) New

Click **New** to set new personnel information. Please refer to [4.1.2.1](#) Personnel Registration for more details.

2) Edit

Click **Edit** to re-edit, set the personnel information registered. Then Click **Save** to preserve re-edited information.

3) delete

Click **Delete** to delete the registered information of the current person. **(This function works only under the Demission. It should first make the person to Demission**

User, and then it can delete the person under the Demission condition.)

4) Get Enroll

Click **Get Enroll** to get the current personnel information of fingerprint data, password and card number preserved. And preserve this information in the data base. If there are fingerprint, password and card number of the current personnel on the Fingerprint terminal, there will display the icon of fingerprint 【👤】 , password 【🔑】 , and card number 【💳】 on the top right corner. One icon displayed demonstrates only one identification mode that the current personnel has registered, while no icon suggests no registration on the fingerprint terminal or the Enroll ID is different from the one preserved on the terminal. The latter situation requires modifying the personnel's **Enroll ID** and re-obtains registered information.

5) Upload Username

Click the **Upload Username** to input current personnel's name on the fingerprint terminal. This information will be displayed on the screen of the terminal during the attendance.

6) Get Newly Log

Click **Get Newly Log** to get newly attendance record on the terminal.

7) Upload Enroll

Click **Upload Enroll**, and upload the fingerprint data, password, and card number of the personnel into the fingerprint terminal. **(PLEASE CONFIRM THAT THERE IS NO DIFFERENCE BETWEEN CURRENT PERSONNEL'S ENROLL ID ON THE RIMS AND THE USER ID ON THE TERMINAL. That's to say Amaris Song's enroll id on the RIMS software is 0001, then her user id on the terminal should be 0001 too.)** .

8) Delete Enroll


Click **Delete Enroll** to remove all report of the personnel in terminal, including fingerprint data, attendance records and so on.

9) Demission

Click **Demission** to remove the person to the **Demission User**. The information of the very person still exists. The information can be viewed under the Demission User view, and it also allows doing more operation under this view.

4.1.2.3 Device Connection

Click the **Device** icon on the menu to connect and operate the devices (refer to the [Device Connection](#) for details) Right click the light blue blank area to get all enroll, get newly log, and upload enroll and others.



4.1-8

1) New

Please refer to [4.1.2.1](#) Personnel Registration for more details.

2) Get all Enroll

Click **Get all Enroll** to get all information of fingerprint data, password, and card number on the fingerprint terminal and preserve this data into the database.

3) Get Newly Log

Get the new and un-collected attendance records on the device.

4) Upload All Usernames

Click **Upload All Usernames** to import the names of the personnel information in the RIMS software into the terminal, which will be displayed on the screen of terminal.

5) Upload All Enroll

Click **Upload All Enroll** to input all fingerprint data preserved in the database into the terminal.




Attentions:

- 1) The weekend break is designed for the fixed weekend for the staff every week. Manipulate weekend registration while the weekend is unavailable nor unfixed
- 2) The personnel information requires the exact entry date because the attendance begins from the day of entry. If the inputting date is later than the entry date, it will display nothing, while the earlier one displays the redundant attendance record.

4.1.2.4 View

The appearance form of personnel information can be switched among three views; they are **User Cards**, **User List** and **Demission Users** according to the user's requirements. The User Cards, User List view display the in-service persons' information. The Demission Users view displays the demission users' information. The User Card is optional to show & hide attendance report and shifts



4.1-9


4.1.2.5 Refresh

The **Refresh** can reload personnel information.

4.1.2.6 Batch Edit


The **Batch Edit** can modify personnel information to a large extent, such as department, entry date, attendance system, default attendance, default weekend and others.

First: select the item of personnel on the left column that needs to be modified.



4.1-10

Second: select the item that needs modification, such as entry date, and then click **Apply**.



4.1-11

4.1.2.7 Import


The **import** can add batch personnel information through the self-defined column Excel file or the following path: first establish one personnel item on the User

Management window, then export this personnel's information, and then add others' information according to the export format. The save format of the Excel file must be the compatible version of 97-2003, whose postfix is.xls

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	Dept	Name	User ID	Enroll ID	Card No	Att Rule	Default Att	Default Weekend	Gender	Register Date	Title	Birthday	ID No
2	E-business Dept.	Amaris Song	'001	1		Default Att Rule	Normal		Female	16/08/2010		24/02/1985	
3	E-business Dept.	Peter	'002	2		Default Att Rule	Normal		Male	16/08/2010		24/02/1985	
4	E-business Dept.	Miko	'003	3		Default Att Rule	Normal		Female	16/08/2010		24/02/1985	
5	Software Dept.	Edmond	'004	4		Default Att Rule	Normal		Male	16/08/2010		24/02/1985	
6	Hardware Dept.	Edward	'005	5		Default Att Rule	Normal		Male	16/08/2010		24/02/1985	
7	Financial Dept.	Marry	'006	6		Default Att Rule	Normal		Female	16/08/2010		24/02/1985	
8													


4.1-12

First: select the designed Microsoft Excel file.



4.1-13

Second: Click **Next**, and select the matched column and field. (This step is generally automatic and you don't need to choose the field yourself, click **Next** directly.)




4.1-14

Third: Data Check, check the imported data. If there is something wrong with this data, double click to edit the very data. Or open the file directly to edit the data and then re-import it.

There are two colors prompt:

Red: it means that there already exists the info. of the very enroll id in the RIMS software. If you don't edit the importing data, it would fail to import the info. of that enroll id. *For example: because my RIMS software has already had the id (1-8) enroll info. So when I import another id (1-8), then it shows red as the following.*


Green: It means that the AttRule, Default AttType or Default Weekend of the enroll id do not exist in the RIMS database. The software will match it to a default one or make it nothing. If you don't need to set a Default AttType to it, so you can leave it null. If you want to edit it, please right click the very cell and select the item. *For example: the id=8's Default AttType is HR-Shift, but there's no HR-Shift on my RIMS software, so the software make it null, that's to say there's no Default AttType for id=8 now.*



	PIN	DIN	CardNumber	AttRule	DefaultAttTypeVal	DefaultWe
1	008	8		Default Att Rule		Weeker
2	001	1		Default Att Rule		Weeker
3	002	2		Default Att Rule	Normal	Weeker
4	007	7		Default Att Rule	Normal	Weeker
5	003	3		Default Att Rule	Normal	Weeker
6	004	4		Default Att Rule	Normal	Weeker
7	005	5		Default Att Rule	Normal	Weeker
8	006	6		Default Att Rule	Normal	Weeker
▶* 9						

4.1-15

After editing the data, there's no Red Prompt, then click NEXT to import the user info.



	PIN	DIN	CardNumber	AttRule	DefaultAttTypeVal	DefaultWe
1	017	17		Default Att Rule	Evening	Weekend f
2	010	10		Default Att Rule	Evening	Weekend f
3	011	11		Default Att Rule	Normal	Weekend f
4	012	12		Default Att Rule	Normal	Weekend f
5	013	13		Default Att Rule	Normal	Weekend f
6	014	14		Default Att Rule	Normal	Weekend f
7	015	15		Default Att Rule	Normal	Weekend f
8	016	16		Default Att Rule	Normal	Weekend f
▶* 9						

4.1-16

Fourth: Click **Next** to import data if there is nothing wrong with the data.




4.1-17

Fifth: Click **Cancel** and reverse back User Management interface after finishing the data import.

4.1.2.8 Export

Export personnel information from the Excel file for preservation or query

First: Select the **Save Path**.



4.1-18


Second: click **Save** to conduct information export that will show a success, then click **OK** to open the current export data.



4.1-19


4.1.2.9 Query

If there is too much personnel information and you need someone's information now, please input his name; enroll ID, user ID to query his information quickly.



4.1-20

As the following:



4.1-21

Complete spelling query: input the complete spelling of the user's name, and then search for his/her information. *Let's take "Miko" as an example: input "Miko", then*


*click the **query**  icon, then Miko's information will come to the result.*

The screenshot shows a window titled 'Report' with a search bar containing 'Miko'. Below the search bar is a table with columns 'Name', 'User ID', and 'Enroll ID'. The table is filtered by 'E-business Dept.' and shows one row: 'Miko' with 'User ID' 003 and 'Enroll ID' 3.

Name	User ID	Enroll ID
E-business Dept.		
Miko	003	3

4.1-22

Initial query: input the first letter of the name then search. For example: we want to search “Edmond”, then we input “E”, all the person those name start with “E” will come to the result.

Example: let’s query “Edmond”, input “E” and click the query  icon, then it comes out:- Edmond, Edward.

The screenshot shows a window titled 'Report' with a search bar containing 'E'. Below the search bar is a table with columns 'Name', 'User ID', and 'Enroll ID'. The table is filtered by 'Hardware Dept.' and shows one row: 'Edward' with 'User ID' 005 and 'Enroll ID' 5. Below this, there is a section for 'Software Dept.' showing one row: 'Edmond' with 'User ID' 004 and 'Enroll ID' 4.

Name	User ID	Enroll ID
Hardware Dept.		
Edward	005	5
Software Dept.		
Edmond	004	4

4.1-23

Search the whole department: it allows searching the information of the whole department. It supports “complete spelling query” and “initial query” with the wildcard. Please first input the query condition, wildcard “@” stands for querying the whole department.

As the following:

Report			Report		
@E-business			@H		
Name	User ID	Enroll ID	Name	User ID	Enroll ID
E-business Dept.			Hardware Dept.		
Amaris S...	001	1	Edward	005	5
Peter	002	2			
Miko	003	3			

4.1-24

Query user information according to gender: query the female or male information in the company. We can count the gender ratio of the company easily. We can input “#m” or “#M” to query the entire male’s information, and “#f” or “#F” for all the female’s information.

As the following:


Report			Report		
#f			#F		
Name	User ID	Enroll ID	Name	User ID	Enroll ID
E-business Dept.			E-business Dept.		
Amaris S...	001	1	Amaris S...	001	1
Miko	003	3	Miko	003	3
Financial Dept.			Financial Dept.		
Marry	006	6	Marry	006	6

Report			Report		
#M			#m		
Name	User ID	Enroll ID	Name	User ID	Enroll ID
Hardware Dept.			Hardware Dept.		
Edward	005	5	Edward	005	5
Software Dept.			Software Dept.		
Edmond	004	4	Edmond	004	4
E-business Dept.			E-business Dept.		
Peter	002	2	Peter	002	2

4.1-25


4.1.2.10 Advanced for selecting person

On the Report window, there’s an “Advanced” option for selecting person. As the following:



4.1-26

Click the user selection to a pull-down menu, and select the “Advance” to pop-up the Advanced window.



4.1-27

Advanced Instruction:

Candidate department is the department list that can be selected.

Selected department is the departments selected from the Candidate departments list.

Candidate Users is the users from the Selected department. They can be selected to the Selected Users list.

Selected Users is the users selected from the Candidate Users list.

When you select the department from the Candidate department list to the Selected department list, the users from the Selected department will show on the Candidate Users list.


If you want to select someone to the Selected Users, let's say Amy (from Hardware dept.). You should first select the “Hardware dept” from the Candidate department list to the Selected department. Then “Amy” will show on the Candidate Users list. You could select “Amy” from the Candidate Users list to the Selected Users list then.

Icon instruction:

- ▶ It means Super department of the Selected department.
- ✧ It means department selected from the Candidate department list.
- ℹ It means the super department of the very department has been selected. So it's the selected department too.

Operation instruction: Search, Double-click, button, drag.

- Search: please refer to the 4.1.2.9. Each column has its own search scope. *For example: from the Selected department list, you can select the persons whose department is on the Selected department list. As pic 4.1-25, we can search the person that from the Development dept, Hardware dept, Software dept, HR dept, or After-sales service dept. If you want to select the person whose enroll id is 013, please first search 013 on the Candidate department list, then it comes out a department "Hardware Dept.", select it to the Selected department. Then you could select 013 from the Candidate Users to the Selected Users.*
- Double-click: double-click the item, it would be selected from the left column to the right column automatically. *For example: double-click the "Hardware dept" on the Candidate department list, then it would be selected to the Selected department .*
- Button: ➡️ ⬅️ make the selected department or person from one side to the other side. 📁➡️ 📁⬅️ Select all the department or persons from one side to the other side.
- Drag: select the Candidate user or Selected User and drag it directly from one side to the other side.



4.1-28

According the pic above, you could search through "search the whole department", "Complete spelling query", "Initial query" or "Enroll ID".

The screenshot displays four panels from the RIMS software interface:

- Selected department:** A search box contains 'Amaris'. Below it, a tree view shows 'Corporate HQ' expanded, with 'E-commerce Dept.' selected and marked with a green checkmark.
- Candidate department:** A search box contains '@E-commerce Dept.'. Below it, a tree view shows 'Corporate HQ' expanded, with 'E-commerce Dept.' selected.
- Candidate Users:** A search box contains 'K'. Below it, a table titled 'Sales Dept.' lists users.

Name	Us...	Enroll ID
Kathy	014	14
- Selected Users:** A search box contains '006'. Below it, a table titled 'After-sales Service Dept.' lists users.

Name	Us...	Enroll ID
Marry	006	6

4.1-30

On the Candidate or Selected department list, it shows only the department no matter you search the department name or the user name. When you search someone, let's say Amaris in the Selected department, it shows her department – E-commerce Dept. More details for the query function, please refer to the [4.1.2.9](#).

Click **X** or clear the query box to turn back.

4.2 Attendance Management

On the main menu, focus the mouse on the icon of **Att. Manage** icon, where will display four sub-menus: Append User's Forgotten Clock-in/out, **Leave Registration**, **Attendance Rule Management**, **Report Query** and **Scheduling**.




4.2-1

4.2.1 Manual IN/OUT

This item is mainly designed for those staff who had forgotten clock-in/out for the re-attendance.

Please click **Att. Manage** → **Manual IN/OUT**, and enter the Append User's Forgotten Clock-in/out window.




4.2-2




4.2-3


Operating Steps:

- 1) Select the personnel who needs re-clock-in in this way: click the name of the personnel and select the little icon , or right-click personnel information window on the left column to popup the right-click menu; or input the personnel's user ID, name, enroll ID for query and adding.


As the following:




4.2-4




4.2-5




4.2-6

- 2) Click the icon  **Add**, and select the corresponding attendance type for re-clock-in. There's the same option type on the terminal: **Duty On, Duty Off, Overtime On, Overtime Off, Go out on and Go Out Off**.




4.2-7

- 3) Set the clock-in date and time for the personnel in the item of **Date** and **Time**.



4.2-8

- 4) It is also available to re-attend by Duty time, shift and S-Group. If you manual IN/OUT as 09:00am-12:00pm, then it will conduct two records: clock in at 09:00am and clock out at 12:00pm. And it will match the Duty on and Duty off type automatically.



4.2-9

- 5) Click **Save** to preserve the Manual Clock-in settings.

4.2.2 Leave Registration

The **leave registration** is available to record personnel's overtime, leave, weekend, outgoing, business trip and others. Click **Att. Manage** → **For Leave**, and enter the **Leave Registration (Ask for Leave/Over/Out/Travel)** window.

4.2-10

Operating Steps:

- 1) Select the personnel. Refer to [personnel option](#) on the **Manual IN/OUT** for detailed operating steps.
- 2) Click **Add** to select attendance type in the **Att. Type** item. There're 13 kinds of types now: Normal Overtime, Weekend Overtime, Holiday Overtime, Weekend, Leave, Sick Leave, Annual Leave, Wedding Leave, Maternity Leaving, Injury Leave, Funeral Leave, On Business, and Outgoing.

4.2-11

- 3) Set the date and time range for the Leave Registration.

Ask For Leave/Overtime/Out/Travel

@E

Name	User ID	Enroll ID
E-business Dept.		
Amaris S...	001	1
Peter	002	2
Miko	003	3

Att.

Date Range

☒ Uninterrupted

From 17-08-2010 To 18-08-2010

☐ Duty Time ☐ Shift ☐ S-Group

Time Range

From 12:32 To 17:32

Remark

4.2-12

- 4) It is also available to register according to Duty Time, Shift and S-Group.

Ask For Leave/Overtime/Out/Travel

@E

Name	User ID	Enroll ID
E-business Dept.		
Amaris S...	001	1
Peter	002	2
Miko	003	3

Att.

Date Range

☒ Uninterrupted

From 17-08-2010 To 18-08-2010

☐ Duty Time ☒ Shift ☐ S-Group

Shift

Regular Shift

☒ Morning(09:00-12:00)

☐ Afternoon(13:00-18:00)

Remark

4.2-13

- 5) Click **Save** to preserve current leave registration.



Attentions:


- 1) Select the **Uninterrupted** there is only one attendance record even if the span time exceeds 24 hours. Cancel the **Uninterrupted**, there will be one attendance record daily.
- 2) **Time Range** The system usually defaults the current time of the system as the time range. It is necessary to input other time and date range in reality. The

beginning date cannot be later than the ending date. When **Un-interrupted** is selected, and the date range within the same day, the beginning time can not be later than the ending time. If the time span exceeds 24 hours, the beginning time can be later than the ending time. But the beginning time can be later than the ending time regardless of 24-hour excess or not if the **Un-interrupted** is cancelled.

4.2.3 Attendance Rule Management

The **attendance rule management** is designed to manage the company and standardize its attendance rule & regulation system.

Click the **Att. Manage** → **Att. Rule** and enter the **Attendance Rule Management** window.




4.2-14


4.2.3.1 Rule Options

- Add New Attendance Rule

1) Normal settings



4.2-15




4.2-16

Specification:

- A: For the setting: one work day defaults 8 hours as work time, which means 8-hours or more work time is regarded as one work day.
- B: For the Setting: the recorded at interval of no less than 5 minutes count as effective attendance. In 5 minutes after the attendance, it is ineffective for other attendance of the same person.
- C: the record of the access control terminal is connected with the attendance stat. (it's available to the access control terminal.)
- D: Strict Attendance: the attendance record will be only these two statuses: Duty on and Duty off.

2) Late/ Early /Absence settings




4.2-17

Specification:

- a) **Clock-in over 10minutes Count as Late** This rule can be just taken as a standard to who is late or not.
- b) **Late Exceed 30 Minutes Count as Absent.** For example, if it is regulated 9:00 am as clock-in time, the personnel who clock-ins later than 9:30 am can be recorded as absent.
- c) **Clock-out over 10 Minutes Count as Early.** For example: the normal clock-out time is set as 17:00, anybody who leaves before 16:50 can be regarded as early.
- d) **Clock –out over 30 minutes count as absent.** For example, if it is regulated 17:00 as the clock-out time, the personnel who clock-outs before 16:30 can be recorded absent.
- e) **If no clock-in, count as late/absent.** For example, one personnel who forgets to clock-in, can be regarded as late and set the lagged time, or as one-day absent.
- f) **If no clock-out, count as early/absent.** For example, one personnel who forgets to clock-out, which can be regarded as early and set the early minutes, or as one-day absent.

3) Overtime Rule Settings



4.2-18


Specification:

It is available to set the overtime that which is more than certain minutes to an effective one.

4.2.3.2 Holiday


Usually, the holiday is nationally official holidays, such as New Year's Day, Labor Day and China's National Day. The holiday can also be flexibly set according to the company's requirements.

Click **Holiday** on the left column of Attendance Rule Management to add/edit holiday






4.2-19

- 1) Click **Add**; input the name of holiday and its Starting and Ending date. As followings:




4.2-20



- 2) Click  **Save** icon to complete the setting.
- 3) Edit Holiday
 - Select the name of holiday that needs modification on the column of **Holiday's Names**, then click  **Edit**.
 - Modify holiday's name within the **Holiday's Name** box corresponding and modify its beginning and ending time holiday.
 - After clicking  **Save** icon, the information of the holiday will be updated automatically.


4.2.3.3 Weekend Settings

The weekend can be set according to the company's requirement.






4.2-21

- 1) Click  on the left column of **Attendance Rule Management**, and turn to the **Weekend** window. Click  **Add**; input the name of the weekend and its time that can be differently set according to company's actual rules and shifts, as the following:



4.2-22

- 2) Click  **Save** after setting.
- 3) Modify Weekend settings
 - Select the name of the weekend on the pull-down menu below the **Weekend**, and click  **Edit**
 - Modify the name of the weekend within the box **Weekend** and input the weekend time before the corresponding weekend time.
 - Click  **Save** to finish.




Attentions:


- The **Weekend** that has been applied to the personnel cannot be deleted.
- It is not allowed to repeat name and time of the fixed **weekend**.

4.2.3.4 Duty Time


This is only suitable to the simple on-off-duty company that needs two simple time points. For example: on-duty time at 9:00, off-duty time at 18:00. The various on-off-time companies require setting up several time and shifts. Please refer to [4.2.3.5. Shift](#) for details.


Setting steps of on-duty time following:

Click  **Duty Time** on the left column of the Attendance Rule Management; enter the setting window of Duty Time.



4.2-23

- 1) Click  **Add**, set the name of the shift within the box of **Duty Time**, and set **Att. Type** and **On/off-Duty Time**. Such as:



4.2-24


- 2) Click **Save** after finish. The pull-down menu of **Duty Time** will display **Normal** duty time.
- 3) Click **Edit** to modify and set the optional shifts.

**Attentions:**

The attendance type of Actual in, Normal Overtime, Holiday Overtime, and Weekend Holiday will be shown as the Must Clock-in or Must clock-out in the stat. report.

4.2.3.5 Shift

This is available to the company of various on-off-duty-time attendances. The shift is consisted of non-overlapping duty time. For example: a company's on-duty time is 9:00-12:00 and 13:00-18:00, which can be set as Morning Class duty time and Evening Class one respectively. The morning-class and the evening-class can be combined into one shift for attendance. The un-regular/rotating shift can be set as shifts and S-groups. Please refer to [4.2.3.6](#) S-Group for details.



4.2-25

**Attentions:**

- When creating a new Shift including two or three duty time, the End att. Time of the previous duty time can not be latter than the Begin att. Time of the latter one. *For example: i am creating a new shift now, including two duty time: morning: 08:30-12:00, and afternoon: 14:00-18:00. When i creat these two new duty time, i should make sure that the End att. Time of the duty time "**Morning**" cannot be latter than the Begin att. Time of the duty time "**Afternoon**". Let's say when the Begin att. Time of the "**Afternoon**" is set to 13:00, then the End att. Time of "**Morning**" could not latter than 13:00. We could set it to 12:30, 12:50, or 12:59 etc.*

Duty Time	Morning	
Att. Type	Actual Att.	<input type="checkbox"/> Cross-days
On duty time	08:30	Begin att. time 06:30
Off duty time	12:00	End att. time 12:50

4.2-26


Duty Time	Afternoon	
Att. Type	Actual Att.	<input type="checkbox"/> Cross-days
On duty time	14:00	Begin att. time 13:00
Off duty time	18:00	End att. time 20:00

4.2-27

- According to the two duty time and shift above, when someone let's say Peter clocks out at 13:10 for lunch, then it will be recorded as Peter's clock-in time for the duty time **Afternoon**, and no clock-out record for the duty time **Morning**, and it count as "Forgotten clock-out" for the duty time **Morning**.

4.2.3.6 S-Group

This is available to the company with un-regular shifts. The group is consisted of shifts. As to the group attendance, the system will automatically select the best shift for attendance statistics according to the records. For example: a company: morning class is 6:00-10:00, noon class 10:30-13:30, afternoon class 14:00-18:00 and evening class 19:00-22:00, then we can combine the morning+noon classes into Shift 1 and noon+afternoon ones into Shift 2 respectively, which can be combined in a group. Then we only need to set up the S-group for the attendance instead of tedious shifts, the system will automatically select Shift 1 or Shift 2 for attendance according to actual attendance records.



4.2-28





Attentions:

- S-Group is for the regular attendance. When one company doesn't have a regular working time, such as for Monday, Wednesday, Friday in one working time, and Tuesday, Thursday, and Saturday in another working time, please schedule their working time in the "Scheduling" window. Please refer to the **4.2.5 Shift Scheduling** for more details.

4.2.4 Attendance Report

The **attendance report** offers query and print of the personnel attendance.

Click  **Att. Management** → **Report** to enter the Report window, as following.



Report

From: 17-08-2010 To: 17-08-2010

Query Stat. Print Import Export Back

Raw Clock-In/Out Log Access Control Log Leave Registration Daily Log Daily Att. Monthly Att. Scheduling

Type: All Place: All

Dept.	User ID	Name	Enroll ID	Device ID	Place	Clock Time	Att. Type	Remark

Hardware Dept.

Name	User ID	Enroll ID
Edward	005	5

Software Dept.

Name	User ID	Enroll ID
Edmond	004	4

E-business Dept.

Name	User ID	Enroll ID
Amaris S...	001	1
Peter	002	2
Miko	003	3


Financial Dept.

Name	User ID	Enroll ID
Marry	006	6

4.2-29

4.2.4.1 Clock-in/out Log

Select the optional card of **Clock-in/out Log** for the personnel information (please refer to [personnel option](#)). Input the beginning and ending time then click Query for one's detailed clock-in/out attendance records.



Report

From: 01-07-2010 To: 21-08-2010

Query Stat. Print Import Export Back

Raw Clock-In/Out Log Access Control Log Leave Registration Daily Log Daily Att. Monthly Att. Scheduling

Type: All Place: Temp Place

Dept.	User ID	Name	Enroll ID	Device ID	Place	Clock Time	Att. Type	Remark
1	E-business Dept.	003	Miko	3	1	Temp Place	21-08 09:41	Clock-in
2	E-business Dept.	003	Miko	3	1	Temp Place	21-08 10:17	Clock-in
3	E-business Dept.	001	Amaris Song	1	1	Temp Place	21-08 10:17	Clock-in
4	E-business Dept.	002	Peter	2	1	Temp Place	21-08 10:17	Clock-in
5	E-business Dept.	001	Amaris Song	1	1	Temp Place	21-08 09:41	Clock-in
6	E-business Dept.	002	Peter	2	1	Temp Place	21-08 09:41	Clock-in
7	E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 11:46	Clock-in
8	E-business Dept.	003	Miko	3	1	Temp Place	18-08 17:43	Clock-in
9	E-business Dept.	002	Peter	2	1	Temp Place	18-08 17:43	Clock-in
10	E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 17:43	Clock-in
11	E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 14:27	Attend
12	Financial Dept.	006	Marry	6	1	Temp Place	18-08 17:43	Clock-in
13	Financial Dept.	006	Marry	6	1	Temp Place	21-08 09:41	Clock-in
14	Financial Dept.	006	Marry	6	1	Temp Place	21-08 10:17	Clock-in
15	Software Dept.	004	Edmond	4	1	Temp Place	18-08 17:43	Clock-in

Page: 1, Total Pages: 1, 15 Items

4.2-30

- **Edit the selected record** that displays blue, right click or double-click the very record and edit the attendance type and clock-in time.

The screenshot shows a window titled "Edit Att. record". It contains the following fields and controls:

- Enroll ID:** A text box containing the value "2".
- Name:** A text box containing the value "BT".
- Date:** A date picker showing "07-02-2010".
- Time:** A time picker showing "18:00".
- Att. Type:** A dropdown menu currently set to "Clock-out".
- Remark:** An empty text box.
- Buttons:** A green "Update" button with a checkmark icon and a blue "Back" button with a circular arrow icon.


4.2-31

If the terminal is with the camera function, it will display this interface with the Enroll photo and the immediate photo, as the following:

This screenshot shows the same "Edit Att. record" window but with additional photo fields:

- Enroll ID:** A text box containing the value "3".
- Name:** A text box containing the value "Miko".
- Date:** A date picker showing "18-08-2010".
- Time:** A time picker showing "17:43".
- Att. Type:** A dropdown menu currently set to "Clock-in".
- Remark:** An empty text box.
- Buttons:** A green "Update" button with a checkmark icon and a blue "Back" button with a circular arrow icon.
- Photo Fields:** Two buttons labeled "Enrol photo" and "Immediate photo" are located below the "Att. Type" field. The "Enrol photo" button has a small icon of a person's face with a red heart, and the "Immediate photo" button has a small icon of a person's face with a blue circle.

4.2-32

- **Delete the selected record.** Select this record; right click the  **delete** below to delete it. And it's available to delete several records at one time. It's unavailable to cancel the records downloaded from the terminal that haven't been edited yet.

For Example: **(HOW TO DELETE A NEW RECORD?)**

Report

From: 01-07-2010 To: 21-08-2010

Query Stat Print Import Export Back

Raw Clock-In/Out Log Access Control Log Leave Registration Daily Log Daily Att. Monthly Att. Scheduling

Type: All Place: Temp Place

Dept.	User ID	Name	Enroll ID	Device ID	Place	Clock Time	Att. Type	Re
E-business Dept.	003	Miko	3	1	Temp Place	21-08 09:41	Clock-in	
E-business Dept.	003	Miko	3	1	Temp Place	21-08 10:17	Clock-in	
E-business Dept.	001	Amaris Song	1	1	Temp Place	21-08 10:17	Clock-in	
E-business Dept.	002	Peter	2	1	Temp Place	21-08 10:17	Clock-in	
E-business Dept.	001	Amaris Song	1	1	Temp Place	21-08 09:41	Clock-in	
E-business Dept.	002	Peter	2	1	Temp Place	21-08 09:41	Clock-in	
E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 11:46	Clock-in	
E-business Dept.	003	Miko	3	1	Temp Place	18-08 17:43	Clock-in	
E-business Dept.	002	Peter	2	1	Temp Place	18-08 17:43	Clock-in	
E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 17:43	Clock-in	
E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 14:27	Attend	
Financial Dept.	006	Marry	6	1	Temp Place	18-08 17:43	Clock-in	
Financial Dept.	006	Marry	6	1	Temp Place	21-08 09:41	Clock-in	
Financial Dept.	006	Marry	6	1	Temp Place	21-08 10:17	Clock-in	
Software Dept.	004	Edmond	4	1	Temp Place	18-08 17:43	Clock-in	

Page: 1, Total Pages: 1, 15 Items

4.2-33

I haven't edited the new logs downloaded from the terminal, as the Pic_4.2-31, I cannot delete these records. When I edit one record, as the following:

I edit one of Amaris Song's record, such as the Time, change 10:17 to 10:30, and click update. Then the background color of the very record turns from white to this

one .

Edit Att. record

Enroll ID: 1 Name: Amaris Song

Date: 21-08-2010 Time: 10:17

Att. Type: Clock-in Remark:

Enrol photo Immediate photo

Update Back

4.2-34

To: 21-08-2010

Raw Clock-In/Out Log Access Control Log Leave Registration Daily Log Daily Att. Monthly Att. Scheduling

Type: All Place: Temp Place

	Dept.	User ID	Name	Enroll ID	Device ID	Place	Clock Time	Att. Type
1	Software Dept.	004	Edmond	4	1	Temp Place	18-08 17:43	Clock-in
2	E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 11:46	Clock-in
3	E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 14:27	Attend
4	E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 17:43	Clock-in
5	E-business Dept.	001	Amaris Song	1	1	Temp Place	21-08 09:41	Clock-in
6	E-business Dept.	001	Amaris Song	1	1	Temp Place	21-08 10:30	Clock-in
7	E-business Dept.	002	Peter	2	1	Temp Place	18-08 17:43	Clock-in
8	E-business Dept.	002	Peter	2	1	Temp Place	21-08 09:41	Clock-in
9	E-business Dept.	002	Peter	2	1	Temp Place	21-08 10:17	Clock-in

4.2-35

Then click to select the edited record, and it can be delete it now! as the following:

Report

From: 01-07-2010 To: 21-08-2010

Query Stat. Print Import Export Back


Raw Clock-In/Out Log Access Control Log Leave Registration Daily Log Daily Att. Monthly Att. Scheduling


Type: All Place: Temp Place

	Dept.	User ID	Name	Enroll ID	Device ID	Place	Clock Time	Att. Type	Re
1	Software Dept.	004	Edmond	4	1	Temp Place	18-08 17:43	Clock-in	
2	E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 11:46	Clock-in	
3	E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 14:27	Attend	
4	E-business Dept.	001	Amaris Song	1	1	Temp Place	18-08 17:43	Clock-in	
5	E-business Dept.	001	Amaris Song	1	1	Temp Place	21-08 09:41	Clock-in	
6	E-business Dept.	001	Amaris Song	1	1	Temp Place	21-08 10:30	Clock-in	
7	E-business Dept.	002	Peter	2	1	Temp Place	18-08 17:43	Clock-in	
8	E-business Dept.	002	Peter	2	1	Temp Place	21-08 09:41	Clock-in	
9	E-business Dept.	002	Peter	2	1	Temp Place	21-08 10:17	Clock-in	
10	E-business Dept.	003	Miko	3	1	Temp Place	21-08 09:41	Clock-in	
11	E-business Dept.	003	Miko	3	1	Temp Place	21-08 10:17	Clock-in	
12	Financial Dept.	006	Marry	6	1	Temp Place	18-08 17:43	Clock-in	
13	Financial Dept.	006	Marry	6	1	Temp Place	21-08 09:41	Clock-in	
14	Financial Dept.	006	Marry	6	1	Temp Place	21-08 10:17	Clock-in	

Page: 1, Total Pages: 1, 14 Items

4.2-36

- **Show/hide the column wanted**, click  **Button**, select the **Show/Hide Column** wanted to be shown or hidden, and click to save it.



4.2-37

4.2.4.2 Access Control Log

Select Access Control Log, input the date and click Query for all the detailed clock-in/out information on these days. The detailed and selected record of clock-in/out information will show its owner's name. If the name is null, it will show the record without name. It is also available to set the show/hide column. (Please refer to [Show/Hide Column for details](#))

Report

From: 01-07-2010 To: 21-08-2010

Query Stat. Print Import Export Back

Raw Clock-In/Out Log Access Control Log **Leave Registration** Daily Log Daily Att. Monthly Att. Scheduling

Type: All Place: Temp Place

Dept.	User ID	Name	Enroll ID	Device ID	Place	Clock Time	Att. Type	R
1	E-business Dept.	001	Amaris Song	1	Temp Place	18-08 11:46:09	Clock-in	
2	E-business Dept.	001	Amaris Song	1	Temp Place	18-08 14:27:24	Attend	
3	E-business Dept.	001	Amaris Song	1	Temp Place	18-08 17:43:23	Clock-in	
4	E-business Dept.	002	Peter	2	Temp Place	18-08 17:43:33	Clock-in	
5	Software Dept.	004	Edmond	4	Temp Place	18-08 17:43:38	Clock-in	
6	Financial Dept.	006	Marry	6	Temp Place	18-08 17:43:40	Clock-in	
7	E-business Dept.	001	Amaris Song	1	Temp Place	21-08 09:41:30	Clock-in	
8	E-business Dept.	002	Peter	2	Temp Place	21-08 09:41:34	Clock-in	
9	E-business Dept.	003	Miko	3	Temp Place	21-08 09:41:36	Clock-in	
10	Financial Dept.	006	Marry	6	Temp Place	21-08 09:41:43	Clock-in	
11	E-business Dept.	002	Peter	2	Temp Place	21-08 10:17:13	Clock-in	
12	E-business Dept.	003	Miko	3	Temp Place	21-08 10:17:16	Clock-in	
13	Financial Dept.	006	Marry	6	Temp Place	21-08 10:17:22	Clock-in	

Page: 1, Total Pages: 1, 13 Items

4.2-38

4.2.4.3 Leave Registration Log

Click **Leave Registration**, select the department and personnel item that you want to query, input the beginning and ending date, then click **Query** for their leave records.

Report

From: 01-07-2010 To: 21-08-2010

Query Stat. Print Import Export Back

Raw Clock-In/Out Log Access Control Log **Leave Registration** Daily Log Daily Att. Monthly Att. Scheduling

Type: All

Dept.	User ID	Name	Enroll ID	Begin Date	End Date	Att. Type	R
1	Hardware Dept.	005	Edward	5	21-08 17:32	21-08 17:32	Normal Overtime
2	Software Dept.	004	Edmond	4	21-08 17:32	21-08 17:32	Normal Overtime
3	E-business Dept.	001	Amaris Song	1	21-08 17:32	21-08 17:32	Normal Overtime
4	E-business Dept.	002	Peter	2	21-08 17:32	21-08 17:32	Normal Overtime
5	E-business Dept.	003	Miko	3	21-08 17:32	21-08 17:32	Normal Overtime

4.2-39

It is allowed to delete, edit and append clock-in and register leave and so on for the leave Registration. Please refer to (Delete, Edit, [Manual IN/OUT](#), [leave registration](#), [show /hide column](#)) for more details.

4.2.4.4 Daily Log Report

Select **Daily Log Report** and the personnel item that you want to queried (please refer to [personnel option](#)), set the querying date, and click Query to query personnel's daily logs. It will show his detailed daily attendance information after statistics.

From the **Daily Log Report**, we can have a very clear known about personnel's attendance record.

Let's take Edward as an example: all of his logs on 109-08-2010 are in one record.

Report

From: 01-07-2010 To: 21-08-2010

Query Stat Print Import Export Back

Rev Clock-In/Out Log Access Control Log Leave Registration **Daily Log** Daily Att. Monthly Att. Scheduling

Dept.	User ID	Name	Enroll ID	Date	1	2	3	4
Hardware Dept.	005	Edward	5	01-08-2010	09:00:00	18:00:00		
Hardware Dept.	005	Edward	5	02-08-2010	09:00:00	12:00:00	13:00:00	18:00:00
Hardware Dept.	005	Edward	5	17-08-2010	09:00:00	12:00:00	13:00:00	18:00:00
Hardware Dept.	005	Edward	5	19-08-2010	09:00:00	12:00:00	13:00:00	18:00:00
Hardware Dept.	005	Edward	5	20-08-2010	09:00:00	12:00:00		
Software Dept.	004	Edmond	4	01-08-2010	09:00:00	18:00:00		
Software Dept.	004	Edmond	4	02-08-2010	09:00:00	12:00:00	13:00:00	18:00:00
E-business Dept.	001	Amaris Song	1	01-08-2010	09:00:00	18:00:00		
E-business Dept.	001	Amaris Song	1	02-08-2010	09:00:00	12:00:00	13:00:00	18:00:00
E-business Dept.	001	Amaris Song	1	17-08-2010	09:00:00	12:00:00	13:00:00	18:00:00
E-business Dept.	001	Amaris Song	1	18-08-2010	11:46:09	14:27:24	17:43:23	
E-business Dept.	001	Amaris Song	1	19-08-2010	09:00:00	12:00:00	13:00:00	18:00:00
E-business Dept.	001	Amaris Song	1	20-08-2010	09:00:00	12:00:00		
E-business Dept.	002	Peter	2	01-08-2010	09:00:00	18:00:00		
E-business Dept.	002	Peter	2	02-08-2010	09:00:00	12:00:00	13:00:00	18:00:00

Let's take Edward as an example: all his logs on 19-08-2010 is in one record. By this way, we can have a very clear known about the attendance record.

4.2-40

4.2.4.5 Daily Attendance Report

Select **Daily Attendance Report** and the personnel item that you want to queried (please refer to [personnel option](#)), set the querying date, and click **Query** to query personnel's daily attendance. It will show his detailed daily attendance information after statistics.

Report

From: 01-08-2010 To: 21-08-2010

Query Stat. Print Import Export Back

Raw Clock-In/Out Log Access Control Log Leave Registration Daily Log **Daily Att.** Monthly Att. Scheduling

Rounding: 0.1 Type: All

	Dept.	User ID	Name	Enroll ID	Date	Planned T1	Actual T1	Planned T2	Actual
1	Hardware Dept.	005	Edward	5	01-08	09:00	09:00	12:00	
2	Hardware Dept.	005	Edward	5	02-08	09:00	09:00	12:00	12:00
3	Hardware Dept.	005	Edward	5	03-08				
4	Hardware Dept.	005	Edward	5	04-08				
5	Hardware Dept.	005	Edward	5	05-08				
6	Hardware Dept.	005	Edward	5	06-08				
7	Hardware Dept.	005	Edward	5	07-08				
8	Hardware Dept.	005	Edward	5	08-08				
9	Hardware Dept.	005	Edward	5	09-08				
10	Hardware Dept.	005	Edward	5	10-08				
11	Hardware Dept.	005	Edward	5	11-08				
12	Hardware Dept.	005	Edward	5	12-08				
13	Hardware Dept.	005	Edward	5	13-08				
14	Hardware Dept.	005	Edward	5	14-08				
15	Hardware Dept.	005	Edward	5	15-08				
16	Hardware Dept.	005	Edward	5	16-08				
17	Hardware Dept.	005	Edward	5	17-08	09:00	09:00	12:00	12:00
18	Hardware Dept.	005	Edward	5	18-08				

Page:1, Total Pages:4, 1261 items


4.2-41

**Attentions:**

Colors in the Report mean different situations.



: It means that the record is normal.




: It means Late Arrival, and it counts the Late Arrival frequency of the person.



: It means that there's no attendance record, append clock-in nor leave registration, or the Absence.



: It means Saturday.



: It means Sunday.

Specification of Daily Attendance Report:

Actual Attendance (hours): the actual attendance hours is the total time difference of

clock-in and clock-out. For example, the clock-in/out time of a day is, respectively, time1:- 9:00, time2:- 12:00, then the actually attendance hours is 3 hours.


Actual attendance days: it can be reckoned as one day if there is actual attendance minute or second.

Late Clock-in (times): It can be regarded as one time if there is late clock-in on the very day.

Early Clock-out (times): It can be taken as one time if there is early clock-out on the very day.

4.2.4.6 Statistical Analysis


Double click the **stat.** record in the **Daily Att. Report.** It will pop up a Statistical Analysis interface, as the following:




4.2-42

Statistical Analysis for the **Daily Att.** Can realize the following functions:


- Check or modify the Att. Rule of the selected record, as following:



4.2-43

The picture above displays the Default Att Rule. It takes effect when it is selected. When it needs to modify the setting or modify other attendance rule, click icon  to enter the Attendance Rule Management window. **Attention: Once you modify the attendance rule, it would re-statistics the attendance data during the very duty time.**

check or modify the Attendance records and Leave Registration for the very day. (As the following)




4.2-44


As the pic_4.2-43 above, it could query the attendance rule and att. Shift for the user on the very day.

It can also check the planned time and actual time and other detail information of the users.


It allows double clicking to edit the record. It allows right clicking to add or delete the record and append the record.

It allows right clicking the blank area for a popup menu to Append clock-in/out or ask for leave/overtime/out/travel. And it allows clicking the icon  to append click IN/OUT or leave registration.

b. Check or modify the Att. Shift or the User. (Defaulted Shift & Scheduling)



4.2-45

It allows checking the attendance rule of the very user. Right click the selected duty time to a popup menu. It allows to modify the attendance rule of the very day. if you want to modify the attendance rule of the users, please click the icon  to enter the attendance rule management window, and do the operation.



Attentions: (what causes statistics exception?)

- 1) Lack of clock-in/out record.
- 2) The clock-in/out time is not during the begin att. Time and end att. Time.
- 3) The clock-in/out are not corresponding.
- 4) The Late Arrival or Leave early time exceeds the setting time.

4.2.4.7 Monthly Attendance Report

Select **Monthly Attendance Report**, add new personnel item through the import of name, enroll ID and user ID or click Optional Personnel and right click optional personnel on user list to add personnel item needs to be queried. Set up the query date, and click Query for monthly attendance report, click Statistics for monthly attendance statistics if there is no data. There will be detailed information of the

monthly attendance after the statistics.



Attentions:

On **Monthly Attendance Report**, the colors must be in accordance with the ones in the daily attendance report, please refer to Attention in daily attendance for details.

4.2.4.8 Import attendance record


The import can add batch attendance information through the self-defined column Excel file or the following path: first establish attendance item on the Raw Clock-In/Out Log, then export this information, and add other's information according to the export format. The save path of the Excel file must be the compatible version of 97-2003, whose postfix is.xls

Sample for Manual Clock-in/out:

A	B	C	D	E	F	G	H	I
Dept	User ID	Name	Enroll ID	Device ID	Place	Clock Time	Att Type	Remark
A	RLA01	Lily	1	0	Unknown	12-03 09:00	Clock-in	
A	RLA01	Lily	1	0	Unknown	12-03 12:00	Clock-out	
A	RLA01	Lily	1	0	Unknown	12-03 13:00	Clock-in	
A	RLA01	Lily	1	0	Unknown	12-03 18:00	Clock-out	
B	RLB02	Kate	2	0	Unknown	12-03 09:00	Clock-in	
B	RLB02	Kate	2	0	Unknown	12-03 12:00	Clock-out	
B	RLB02	Kate	2	0	Unknown	12-03 13:00	Clock-in	
B	RLB02	Kate	2	0	Unknown	12-03 18:00	Clock-out	


4.2-46

First: select the designed Microsoft Excel file.




4.2-47

Second: Click **Next**, and select the matched column and field. (This step is generally automatic and you don't need to choose the field yourself, click **Next** directly.)




4.2-48

Third: Data Check, check the imported data. If there is something wrong with this data, click Previous to justify or Cancel to cancel the current import. (if there's red or green color cells in the importing data, please modify the red data. It would fail to import the file when there's red data.)



4.2-49

Fourth: Click Next to import data if there is nothing wrong with the data.



4.2-50

Fifth: Click **Cancel** and reverse back Raw **Clock-In/Out Log** interface after the finish of data import.

4.2.4.9 Import Leave Log


The import can add batch attendance information through the self-defined column Excel file or the following path: first establish a leave item on the **Leave Registration**,

then export this information, and add other's information according to the export format. The save path of the Excel file must be the compatible version of 97-2003, whose postfix is.xls

A	B	C	D	E	F	G	H
Dept	User ID	Name	Enroll ID	Begin Date	End Date	Att Type	Remark
Corporate F1	1	lily	1	14-03 09:00	14-03 17:00	Normal Overtime	
Corporate F1	1	lily	1	14-03 13:00	14-03 18:00	Normal Overtime	
Corporate F1	1	lily	1	14-03 19:00	14-03 23:00	Normal Overtime	


4.2-51

First: select the designed Microsoft Excel




4.2-52

Second: Click **Next**, and select the matched column and words.




4.2-53

Third: Watch Field, check the imported data. If there is something wrong with this data, click **Previous** to justify or **Cancel** to cancel the current import.



4.2-54

Fourth: Click **Next** to import data if there is nothing wrong with the data.




4.2-55

Fifth: Click **Cancel** and reverse back Leave Registration interface after finishing the data import.

4.2.4.10 Export and Print of Report

- 1) Click **Print** to enter related settings. Select the print item or import the titles into the input box of the box, for example name of the company. Click **Page Settings** and **Printer Settings** for the settings of page and printer. Click **Begin Print** to popup printing preview window that can be closed for re-settings, or click **Printer** directly for printing.

Attentions: The printer only print the contains of the current displaying page.



4.2-56


- 2) Click **Export** to popup the dialog box of save and select the save path, then click **Save**. Then there will be a Prompt Box suggesting to open it or not if it is a successful save. If you want to check the exported report, please click **OK** otherwise **Cancel**.






4.2-57



4.2.5 Shift Scheduling



Shift Scheduling provides the function of setting particular working time for particular employees, and the function of querying and printing.



Pressing menu **Att Manage** - > **Scheduling**  or entering into **Report** and choose **Scheduling**. Following is the description of the chart in different color,



 : it means that the time isn't in the choosing time.



 :  Light blue: it means Duty Time Information.



 :  Light yellow: it means Shift Information.

 :  Light pink: it means S-Group Information.

 :  Light sky blue: it means the default scheduling.

 :  Green: it means the weekend day or the holiday.

 :  White: It doesn't contain default or manual scheduling, so it won't affect the scheduling information when you save the scheduling.

 :  Yellow green: it means that the user deleted the manual scheduling information. (Click "Save" to affect it.)

4.2.5.1 Query for the scheduling information

Select the personnel item that needs to be queried. (Please refer to [personnel option](#) for details). Input the beginning and ending date, then click **Query** for the scheduling record of the first personnel of these selected ones. It displays various modes of arrangement on the optional column, such as: week show mode, month show mode, Name shift mode, ID shift mode, display all the attendance information, display scheduling shift information, as following.

		Show mode: Week	Shift Mode	Name	Edit Mode	Multi-edit	Type	Single Shi
	Start Date	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
1	2010-04-26						Labour Day	Labour Day
2	2010-05-03	Labour Day	Morning	Morning	Morning	Morning		Sunday Rest
3	2010-05-10	Afternoon	Afternoon	Afternoon	Afternoon	Afternoon		Sunday Rest
4	2010-05-17	Regular Shift	Regular Shift	Regular Shift	Regular Shift	Regular Shift		Sunday Rest
5	2010-05-24	Auto. S-Group	Auto. S-Group	Auto. S-Group	Auto. S-Group	Auto. S-Group		Sunday Rest
6	2010-05-31	Morning						

4.2-58

The chart above is the week show mode, displaying the name of shift; the querying result is single shift information. It's available to click the button before the listing or select different options on the pull-down menu to present different show modes.

4.2.5.2 Query for all the scheduling information

Select the personnel item that needs to be queried under the Month show mode. (Please refer to [personnel option](#) for details). Input the beginning and ending date, then click Query for the personnel scheduling record, as following.


	Name	Start Date	1	2	3	4	5	6	7	8	9
1	li li	2010-05-01	Labour Day	Labour Day	Labour Day	Morning	Morning	Morning	Morning	Morning	
2	li li	2010-06-01	Morning	Morning							
3	sunny	2010-05-01	Labour Day	Labour Day	Labour Day	Morning	Morning	Morning	Morning	Weekend Rest	
4	sunny	2010-06-01	Regular Shift	Regular Shift							
5	Tom	2010-05-01	Labour Day	Labour Day	Labour Day	Morning	Morning	Morning	Morning	Auto. S-Group	
6	Tom	2010-06-01	Auto. S-Group	Auto. S-Group							

4.2-59

Each row stands for a month, displaying the selected personnel's scheduling information in the time respectively. It's unavailable to neither edit nor preserve when checking all the scheduling information.

4.2.5.3 Edit the scheduling information

- Edit the selected record. The background-color of the selected scheduling information turns to deep blue. (Right-click or) Double-click the very record to edit it. There're two edit types, one is modifying one cell at one time, and the other one is dragging to edit various cells. It's available to select the pull-down menu via the edit icon at the top of the window, or click the edit mode icon to switch.






4.2-60

The popup menu is as the picture above. Each time the operation of selecting the menu only works for the selected cells when double-clicking the edit mode. The selected shift information at one time can be dragged to set up various cells or click to set up various sheets when dragging edit mode. Click the blank area out of the sheet to release the selected shift information.

- Delete the scheduling of selected date. Select the cell and double-click or right-click to select delete on the popup menu. Select the corresponding edit mode to single-delete or multi-delete.


	Start Date	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
1	2010-04-26						Labour Day	Labour Day
2	2010-05-03	Labour Day	Morning	Morning	Morning	Morning	Morning	Sunday Rest
3	2010-05-10	Afternoon					Morning	Sunday Rest
4	2010-05-17	Regular Shift					Morning	Sunday Rest
5	2010-05-24	Auto. S-Group					Morn	22-05-2010 y Rest
6	2010-05-31	Morning	Morning	Morning				


4.2-61

It's available to click the save button below the status bar    to save the current scheduling result when completing the edit..

Attention: save operation is to save the scheduling setting-up in a selected time of the selected personnel on the left.

4.2.5.4 Template Scheduling


Click the button  below the View, or right-click to select the Template, then enter template setting interface, as the follow picture:



4.2-62


Select the corresponding scheduling setting template, which supports dragging to set various sheets.


- ✧ Week template: set up the scheduling in pattern of the week in a selected time.
- ✧ Month template: set up the scheduling in pattern of the month in a selected time.
- ✧ Day template: set up the scheduling by taking time interval as template in a selected time. Such as the following picture.



4.2-63

It means that it counts from the first day in a selected time, noon class for the first day, and evening class for the second day, day off for the third day; repeat the noon class of the first day for the fourth day, etc.

If the existing shift information cannot meet your request, it's available to click the icon  on the menu bar to set up new shift information. (Please refer to Attendance Rule setting for details)

Click the icon  after completing the template. It makes the template set up to the corresponding time and cell, and set up the scheduling of the personnel selected from the personnel option on the left of the scheduling report according to the template.

4.2.5.5 Import scheduling information

The import can first query the scheduling information from the personnel scheduling report on the attendance management then export the information. And add others' information according to the export format. The save format of the Excel file must be the compatible version of 97-2003, whose postfix is .xls.

A	B	C	D	E	F
Name	Start Date	1	2	3	4
li li	2010-05	Afternoon	Morning	Sunday Rest	Regular Shift
2	2010-05	Afternoon	Morning	Sunday Rest	Regular Shift
PF	2010-05	Afternoon	Morning	Sunday Rest	Regular Shift


4.2-64

The imported data and shift information can be automatically identified the name or ID num.

If the name or ID num is personal one, the imported scheduling information is the corresponding personal one.


If the name of ID num is departmental, then the imported scheduling information is the departmental personnel ones.

First: select the designed Microsoft Excel




4.2-65

Second: [Data Check], check the imported data. If there's something wrong with this data, it's available to modify it directly, or add new record in this very step or it won't be edited succeed. Click **Previous** to justify or **Cancel** to cancel the current import.



4.2-66

Fourth: click **Next** to import data if there's nothing wrong with the data.



4.2-67

Fifth: click Cancel and reverse back to the user management interface after the finish of data import.



Attention:

Exported data after modification needs to be copied to a new file and saved as the version of Excel 97-2003, and then the file can be imported successfully.

4.3 Device Management

The device management possesses performance of data connection and download and others.




4.3-1

4.3.1 Device Connection


4.3.1.1 Device Added

Connect the device to the computer (select the suitable communications: RS232/RS485, TCP/IP or USB) If there are several networking-apply devices, these devices must be set to different numbers to avoid repeating, for example: 001,002

1) RS232/RS485 Communication


Click Device Management on the menu → Connect → click  or Add Device on the left column to popup Connect to the Device window.

Select RS232/RS485 communication, the settings of Device ID and date remain the same with the ones on the terminal, select the COM Port. Then click Search, as the following.



4.3-2


It will display Successful Connect Prompt Box, corresponding to the data searched. Click OK and there will be the icon of Add Device on the left of the window, as the following.



4.3-3

Click Add Device for more devices.

2) TCP/IP Communication

Click Device Management on the menu → Connect → click  or Add Device on the left column to popup Connect to Device window.


Select TCP/IP communication, the Device ID, IP Address and Password must remain

the same with the ones on the terminal. No communication password defaults as 0.




4.3-4

3) USB Communication

Click Device Management on the menu → Connect → click  or Add Device on the left column to popup Connect to the Device window.

Select USB communication, the Device ID must remain the same with the ones on the terminal. Device ID defaults as 1.



4.3-5

4.3.1.2 Edit Device Property

Select the device connected, such as Device #1, and click Edit on the menu or right-click Device #1 → connect to option, and there will be a corresponding window of device property. Then you can set the device's communication, device ID, IP address and others.

4.3.1.3 Delete Device

Click Delete on the menu or right click the connected device → delete. That will delete current selected devices. You need to re-add device if you want to re-connect this device.

4.3.1.4 Refresh Device

Click Refresh on the menu or right click the selected device → refresh. That will refresh the current device.

4.3.1.5 Device Property - Normal

Device Property → Normal, Advanced or right click the connected device → Operate, in this way, you can read or delete the data on the terminal.



4.3-6

1) Get Newly Log

Get the new and un-collected attendance records on the device.

2) Get All Log

Get all data on the terminal, including the downloaded and uncollected one.

3) Empty All Log

Empty the attendance data after collection if there is too much data on the device.

4) Get All Enroll

Get all enroll on the device, including fingerprints, password, inductive card and others.

5) Empty All Enroll

Empty all enroll on the device for re-enrolling all information.

6) Upload All Enroll

Upload all enroll data on the software onto the device, such as name, fingerprint data.

7) Cancel Privilege

Delete the administrator's privilege of device through RIMS software.


8) Synchronous Time Device

Synchronize device time with the one on the computer.


9) Close device

Close device through software.

4.3.1.6 Device Property- Advanced



4.3-7



4.3-8

1) Empty Device Data

Empty all enroll and clock-IN/OUT records and attendance report simultaneously.
(Attentions: this operation cannot resume)


2) Adjust Device's Screen Brightness

Draw the scrollbar and set up the brightness value of the screen, click Apply to apply the brightness value to the device.

3) Set the Text or Message of the Device's Screen

Click Get to get the current text of the device's screen and import the words onto the device by clicking Set.

If I set the message1: Institute training on the job. And message2: Pure attitude, pure power. And upload them to the device, and then they will be rolling on the screen of the color screen terminal dynamically. It can be set to someone, such as Amaris Song, or everyone. As the following:



4.3-9




4.3-10

4) Reboot the Device

Click Reboot the Device to restart current connected device.

4.3.1.7 Device Property- Bell




4.3-11

Click Get to obtain the Bell Ring Times and Time established on the device. Click Set to upload the newly edited bell onto the device after the settings of Bell Ring Time and times. The color screen terminal can set at most 10 groups of bell.

4.3.1.8 Device Log- Scheduler


Select Enabled LOG Scheduler then set the timing, and then click Apply to get it work, or Sync Time when get log.

Let's take an example:



4.3-12

4.3.1.9 Device Property- Monitoring




4.3-13

Click Real-time Monitoring. If select the Show User Picture in the options item, then in the process of monitoring, the screen will show the user's picture in real-time. If select the Automatic Monitoring after Running the Program, the system will upload attendance data in real-time in the process of monitoring.

4.3.1.10 Access Control Operation

If the device supports the access control property, the contents of the access control operation options can be edited. Otherwise, it cannot.


1) Access Control



4.3-14

1. Click **Open** and conduct remote control to open the door through the software.
2. Click **Keep-open** and set to keep the door open normally.
3. Click **Keep-Close** and set to keep the door closed normally. It is in-effective to open by card stamping but effective when restoring to **Automatic Mode**.
4. When the door is in a fixed state, click **Automatic Control** to restore the open status. Set the state of the door to **Automatic Control Mode**.
5. Click **Cancel Alarm** to cancel the current alarm and restore the open status of automatic control mode.
6. Click **Show Status** to see the controlling mode of the current door.


2) The Settings of the Access Control Device



4.3-15

1. Click **Get** to obtain current property settings of the access control.
2. Set the door keep open for 0-255 second(s). If it exceeds this time, the door automatically restore close status.
3. Set the door keeping alarming for 0-3600 second(s). If it exceeds the this time, there will be alarm. If we set the alarm time as 0, there won't be alarm even if it exceeds Open Door Time.
4. Set the door keep alarming for 0-255 second(s) when the door is regaled to Open. If the door is forced to open, there will be alarm. If the alarm time is set as 0 and the door is forced to open, there won't be alarm.
5. The Signal input alarm, Threat Alarm, Threat Alarm Action can also be set according to actual situations.


3) Pass-time Setting



4.3-16

1. Every access control device can be set 32 pass-times that can be added and deleted according to actual requirements.
2. Click **Get from the Device** to obtain information of pass-time to the current device
3. Click **Upload to Device** to upload the current time settings to access control device.

4) Goup Time Settings



4.3-17


1. Every access control device can be set 32 group time, each of which contains 10 pass-times. The time group can be added, edited and deleted according to

actual situations.

2. Click **Get from device** to obtain information of time group to the current device.
3. Click **Upload to device** to upload current new-added time group to the access control device.

5) Pass-set settings

1. The pass-set setting contains seven days a week. Each can select time groups to collocate and combine according to users' requirements.




4.3-18

2. Click **Get from Device** to obtain pass-set information of current device.
3. Click **Upload to Device** to upload the new-added pass-set to the access control device.

6) Unlock-group


It can be set that the door can be opened only when both of the different persons get through the authentication. The setting is as the following:

First, click Access Control – Settings – Enabled the unlock-group. (As the pic_4.3-18)



4.3-19


Then click Access Control - User Access Control, then set the user access control.



4.3-20

Attentions: the Apply pass set is defaulted as "Allow". Set the persons to 1-9 group according to the requirements. It is defaulted to group 0 without setting, and the persons in group 0 cannot be set to the unlock-group. Let's say, we can set Peter to group 1, Miko to group 2 and Edmond to group 3.

Third, click Access Control – Unlock-group, and define the unlock-groups.



4.3-21

Here are the instructions of the four unlock-groups above:

Unlock-group 0: it means that only when both of the two persons: one of the people from group1 and one of the people from group2 authenticate from the Access Control Terminal, can the door be opened.

Unlock-group 1: it means that only when both of the two persons: one of the people from group1 and one of the people from group3 authenticate from the Access Control Terminal, can the door be opened.


Unlock-group 2: it means that only when both of the two persons: one of the people from group2 and one of the people from group3 authenticate from the Access Control Terminal, can the door be opened.

Unlock-group 3: it means that only when two persons from group2 authenticate from the Access Control Terminal can the door be opened.

If there's a unlock-group4: 123, then it means only when both of these three persons: one of the people from group1, one from group2 and one from group3 authenticate from the Access Control Terminal, can the door be opened.

7) User Access Control

This can be set various pass-sets and valid date for different users




4.3-22

Click Upload to device to set valid time for different users. All the valid time of the registered users are available without setting. But with the user's access-control settings, it is only available to the users whose information has been set during the regulated time.

8) Anti-Passback

Anti-passback is a function for Access Control Terminal that prevents the tailgating. In some conditions, the security system demands the personnel authenticate legally from the outside door to come inside, and authenticate legally from the inside door to go outside. The authentication record must be one inside record and one outside record. When anti-passback is used, people must first authenticate from the designated "In" reader, then from a designated "Out" reader, and tried to read out of an area, an anti-passback violation would occur.



4.3-23

Instructions:

- 1) **Disabled:** the anti-passback is ineffective.
- 2) **Enable (OUT):** it makes the ZD2F20 Access Control Reader as the “In” Reader, and the record in the ZD2F20 is the “IN” one. The authentication record in the Sensor is the “OUT” one.
- 3) **Enable (IN):** it makes the ZD2F20 Access Control Reader as the “OUT” Reader, and the record in the ZD2F20 is the “OUT” one. The authentication record in the Sensor is the “IN” one.

4.3.2 Device and Data Download

Click **Download**→**Device#1** to popup next menu, as followings:



4.3-24

Please refer to the : Get Newly Log, Get All Log, Get All Enroll for more details of the submenu.

1) Get Newly Log

Obtain the newly report on the fingerprint attendance machine.

2) Get all Log

Obtain all attendance data on the fingerprint attendance machine, including the downloaded and un-collected data.


3) Get All Enroll

Get all fingerprints and password data on the fingerprint attendance machine and preserve them into the data base.

4.3.2.1 U-Disk / SD Card Data Import


Download the attendance data with the U-disk. First, download the data from the fingerprint attendance Terminal to the U-Disk, connect the U-Disk to the USB port of the computer, then steps following:

Click Download → U-Disk/SD Card to popup the dialogue box Download data from U-disk/SD card,



4.3-25

It allows importing data, immediate photo and Enroll photo from the u-disk / SD card.

The Immediate photo data importing is optional according to different models. Select the path (stay blank if unnecessary), and then click the icon .

4.4 System Maintenance

The data maintenance arms to maintain the data base of the system routinely, which includes backup DB, restore DB.

On the main menu, move mouse to the icon Maintenance, popup three sub-menus that are **Backup DB** and **Restore DB**.



4.4-1

4.4.1 Backup DB

Backup DB means the backup the database of the RIMS, including the personnel information and attendance records.

A. Backup database (Access version)

Click the submenu of Maintenance-Backup DB, select the save path of data, and click Save to popup the dialog box of Successful Save. Click OK, then there will be formation of backup file in the corresponding path. For example the file likes 'RIMS_20100824.rdb'.

B. Backup database (SQL Server version)

It makes difference between the connection to the local server and the remote

server.

Backup to the Local Server: the same operating steps with the Access version backup.

Backup to a Remote Server:



4.4-2

- a. It prompts that whether backup to a remote server or not. It requires the read and write permissions to the shared folder on the Remote PC or it would be fail to backup the database. (It is suggested that using the SQL Manager to backup the database on the remote server while backup to the Remote Server.)

It pop ups the following window when it's the first time to backup the database. It requires inputting the backup path (required to read and write permissions) on the remote PC.



4.4-3

Click "Apply" to backup the database. When there's no read and write permissions to the input path, it fails to backup.



Attentions:

- When it's the first time to input the data and operate other settings, it is recommended to backup the database at once. It is recommended to backup the database before modifying the data to avoid data loss.
- Once the administrator makes some mistake or wrong operating steps, it

allows restoring to the relevant database.


- The defaulted name to the file is “RIMS_+current date.rdb”. The administrator can decide his own backup path and file name.

4.4.2 Restore DB

The **Restore DB** subjects to restore the database, including all the personnel information and attendance reports.

A. Restore database (Access Version)


Click the Restore DB on the sub-menu of Maintenance, open the path of the database preservation, and select the restore DB that needs revert, and click Open to popup the dialog box of Successful Restore Database, then click OK. It needs restart the RIMS software to make the restored valid.



4.4-4

B. Restore database (SQL Server Version)

It would popup the following window when clicking “**Restore DB**” if the current database of your RIMS software is the SQL Server version.




4.4-5

It allows restoring by backup log or other database file. (It only supports the backup log when backup to the Remoter Server.)

4.4.3 Detailed settings for Maintenance

Click **Maintenance** icon to enter the system maintenance window.



4.4-6

The main setting options: Normal, Company Info., Administrator, Data Maintenance, Image Management, Data Migration.


4.4.3.1 Normal:

User Management: Set the appearance form of user management and user information, including Show User Cards and Show User List. The User Cards is designed to show & hide the attendance records and the shift, as well as a page to show the quantity of the card.

Image Management: it fixes the size of the user picture. The size is recommended not bigger than 10kb for the fast displaying. It allows selecting filling or replacing the image when importing. *"Filling images when importing", let's take an example : 001 Amaris Song's information in the user information of the RIMS is without any picture, but there's a picture for the num 001 in the importing data, then the RIMS will fill the picture from the importing data to Amaris Song in the RIMS database automatically. Or there's a picture for Amaris Song 001 in the RIMS, but there's no picture for the num 001 in the SD Card, then it will copy one to the SD Card for the num 001*

automatically.

Data Maintenance: It allows setting to delete the data before a few months, it's defaulted to 3 months. *Let's take an example, if I set the "Allow to remove the data – 3 month", and it is 2010-08-25 now, then it allows removing the data before 2010-05-25.*



4.4-7


Default Setting: default the setting of the RIMS software. When click the "Default setting" button, the setting of the RIMS will restore to the default status including the following prompt window.



4.4-8

4.4.3.2 Company's Information

You can change the LOGO and name of the company.




4.4-9

4.4.3.3 Administrator


Set the administrator's password. If there is previous password, you can conduct the re-setting after input the original password and the new one then re-enter the new one.

If there is no previous one, you just need to input and confirm the new one then click Apply, which make administrator settings a success.




4.4-10

“User Authority Settings”, set the privilege for using the RIMS.




4.4-11

Different people, different privileges to operate the RIMS software. *For example: Amaris Song is from the E-commerce Dept, we are going to set her a privilege to query the attendance report of the E-commerce dept from the RIMS software.*



4.4-12




4.4-13

So, when we are in the name of Amaris to enter the RIMS software, we can only check the data of Amaris's, even entering the User Management window, we can find that there's Amaris's information only.

SQL Server version: it allows different people, those have privilege to enter the SQL, connect the SQL Server on their own Computer. And different people, different privilege to operate the RIMS.

4.4.3.4 Data Maintenance




4.4-14

A. Compact Database:


1. Backup the database; please refer to (4.4.1. Backup DB for details).

2. Restore DB, please refer to (4.4.2. Restore DB for details) .
3. Maintenance subjects to conduct regular maintenance for the data base for assuring the integrity of the data.
4. Initialize the data base. Be cautious to this operation because the initialization will empty all the current data.
5. Remove historical data. Remove a period of time's historical data.
6. It defaults that it can only remove the data 3months ago. If you want to change this time, please return to “Normal” to set it.



4.4-15

B. Data Migration:



4.4-16


● Data Migration with brand integration

Data Migration: Migrate data from another RIMS software to the current RIMS software. It supports data migration between two Access databases, two SQL Server databases, and it also supports data migration between the Access database and the SQL Server. The Access database file is postfixed by “.mdb” or “.rdp”. If it’s the SQL database, it must be on the Server, and it cannot be the backup file even though the backup file is on the Server. For the backup file on the

Server, you could first add the backup file data to the Microsoft SQL Server on the Local or Remote Server. Then migrate it to the RIMS software.

Integrate uncrossing user info. : it allows integrate user data from different branches to one RIMS software database. For example: there are three attendance system databases, Guangzhou HQ, Shanghai Branch and Beijing Branch. We could integrate all the data into the Attendance System of Guangzhou. But all the people should be with different Enroll ID. The subordinate relationship of the people remains the same.

Integrate crossing user info. : it allows integrating one person's info from different attendance system to the RIMS software database. (**Attentions: the Enroll ID of this person should be the same in different attendance system.**) For example: Peter's Enroll ID in Guangzhou's attendance system is 005, so his enroll id in Shanghai's attendance system must be 005 too. Let's say Peter works in the Guangzhou office in the first half of the month, and the second half of the month in Shanghai. We can integrate all of Peter's attendance record to Guangzhou's attendance system.



4.4-17

Migration Options:



4.4-18

We can set the default setting here to dealing with the data collision.


Update Collision Date: when coming accross the data collision during migration, it will

update the data in the system. For example: Amaris (Enroll ID is 001) in the current system(System A), there's Peter (Enroll ID is also 001) in the Source database(System B). When migrating data from System B to System A, Peter's information will cover Amaris's in the System A directly. But the attendance records of Amaris still exist in the System A. But the old attendance records of Amaris's will belongs to Peter.

Ignore Collision Date: when coming across the data collision during migration, it will ignore the collision data. As the example above, if select the "Ignore Collision Date", it will not migrate Peter's information to the current system(System A).


- **Compatible Data Migration**

It supports migrating the Access database from other kind of attendance software to the RIMS software, including the following information: department, user information, attendance records, and leave records.



4.4-19


- It allows migrating the data including the demission staff, leave records and attendance log.
- It allows migrating the leave and attendance record in the last 3(1,2,3,or...)months.



4.4-20

- After migrating the data, please set the attendance rule according to the record, then it allows processing data in the RIMS software.
- It takes time for the data migration. It allows doing other process at the same time. Please re-run the RIMS software when finishing the migration to enable the new database.

C. Data Source Administrator:




4.4-21

Set the database of the RIMS to the Access database or the SQL Server one.


It's defaulted to the Access data here. If you need to affect the SQL Server database, please set the Data Source Administrator to the SQL Server first.

Step 1: Select "SQL Server", then click "OK" on the popup window.




4.4-22

Step 2: then enter the Sql Server configuration window, as the following:




4.4-23



4.4-24


Guider Mode: it is available for almost all users. Click “Next” to check whether there’s any SQL Server on the current computer. It connects the attendance database on the local server by the Windows Authentication method. If there’s no SQL server on the current computer, it will create a RIMS_Attendance database automatically. After finishing the Guider Mode operation, click “Apply” to affect it. Then It allows configure the SQL database now.

Normal Mode:




4.4-25

- a. It allows clicking the pull-down menu to select the Server name or you could input the name of the Server directly. (it's recommended to select the Server on the pull-down menu.) Select the SQL Server you.(if you select the Server name from the pull-down menu, it shows the Server names from the whole LAN. It takes about 15 seconds to search all the server names.)




4.4-26

- b. Select the database name from the pull-down menu or input the database name directly. As the following:



4.4-27

If it's the first use of the SQL Server database, please create a database, as the following:



4.4-28

You could create the database in the following two ways:

- ✧ Create a new attendance database. Please input the database name and then click “Create” to create the database.


Attentions: the dabase name cannot start with the Arabic numerals. The name cannot contains any of the special characters except the underline “_”. It is recommended to start with “RIMS”.

- ✧ Create the database through the MDF database file in the system. Browser to get the MDF file path, as the following, then click “Create” to create a database.

- ✧ Create the storage path of the database


If it's connecting to the local server, the database is in the “database” folder under the RIMS installation directory.

If it's connecting to the remote server, the database is in the Microsoft SQL Server\MSSQL.1\MSSQL\Data folder under the SQL server installation directory.




4.4-29

After creating the new database, you could select the database you just created in the pull-down menu. Click “ok” to configure the new database. As the following:



4.4-30




4.4-31

After confugring the new database, the RIMS software will restart to affect the database to the RIMS software.

Attentions: the SQL version supports the version above SQL2005 only.

4.4.3.5 Image Management (Optional)



4.4-32

Image Management: it allows removing the attendance image in the spanning time optionally. And it also allows removing the attendance image corresponding to the enroll id.

Chapter Five Operation of the SQL version

1. Installation and configuration of SQL database.


Open the SQL2005express under the SQLexpress directory in the CD. (it allows downloading other version but above 2005.)

You could use the SQL Server database after the installation. Please refer to the ***database source administrator*** for the details of the SQL Server connection.

Chapter Six QA

1. It cannot connect the device to the computer, what can I do?

- A. Check if the serial port cable is damage or not. If it's damage, please change another serial port cable.
- B. Check whether the COM port of the computer has normal communication or not. If the communication is abnormal, please change to another PC communication way.
- C. Check the Device ID and Port no. of the RIMS software are the same with the ones in the device.
- D. If the communication way is USB communication, please check if the USB driver has been installed.
- E. If it's the connection exception:



There's a conflict between the RIMS software and one another software. Close the RIMS software first, then click and run the Check.exe under the RIMS installation directory, and rerun the RIMS again.


- F. If it's none of the problems above, please check the communication chip of the device. If there's any exception, please change another communication chip.

2. When running the RIMS, it prompts the dialog box "The application cannot start".

It's because you haven't installed the .NET Framework completely, which leads to the initialization failure.

3. How to set the working shift and affect it to the staff in the RIMS software?


let's suppose Company A has three working shift, and people take one of them every day. RIMS set the shift to the staff automatically according to their attendance record.


Step1: go to the  **Duty Time** window, click to add three working shift, as the following:

Morning time: 01:00-09:00 Afternoon time: 09:00 – 16:00 Evening time: 16:00 – 23:59




Duty Time		Duty Time		Duty Time	
Set up duty-time for the attendance		Set up duty-time for the attendance		Set up duty-time for the attendance	
Duty Time	Morning time	Duty Time	Afternoon time	Duty Time	Evening time
Att. Type	Actual Att.	Att. Type	Actual Att.	Att. Type	Actual Att.
On duty time	01:00	On duty time	09:00	On duty time	16:00
Off duty time	09:00	Off duty time	16:00	Off duty time	23:59
<input checked="" type="checkbox"/> Must clock-in		<input checked="" type="checkbox"/> Must clock-in		<input checked="" type="checkbox"/> Must clock-in	
<input checked="" type="checkbox"/> Must clock-out		<input checked="" type="checkbox"/> Must clock-out		<input checked="" type="checkbox"/> Must clock-out	

Step 2: turn to the  **Shift** window, click to add three working shift, as the following:






Shift		Shift		Shift	
Different duty-time arrange in Shifts		Different duty-time arrange in Shifts		Different duty-time arrange in Shifts	
Shift	Morning shift	Shift	Afternoon shift	Shift	Evening shift
Select duty-times for the shift		Select duty-times for the shift		Select duty-times for the shift	
<input type="checkbox"/> WorkingTime(09:00-18:00)		<input type="checkbox"/> WorkingTime(09:00-18:00)		<input type="checkbox"/> WorkingTime(09:00-18:00)	
<input checked="" type="checkbox"/> Morning time(01:00-09:00)		<input type="checkbox"/> Morning time(01:00-09:00)		<input type="checkbox"/> Morning time(01:00-09:00)	
<input type="checkbox"/> Afternoon time(09:00-16:00)		<input checked="" type="checkbox"/> Afternoon time(09:00-16:00)		<input type="checkbox"/> Afternoon time(09:00-16:00)	
<input type="checkbox"/> Evening time(16:00-23:59)		<input type="checkbox"/> Evening time(16:00-23:59)		<input checked="" type="checkbox"/> Evening time(16:00-23:59)	

Step 3: turn to  **S-Group** window, click to add a working group:



S-Group	
Combination with different Shifts into a Group	
S-Group	working group
Select shifts for the Shift-Group	
<input checked="" type="checkbox"/> Morning shift	
<input checked="" type="checkbox"/> Afternoon shift	
<input checked="" type="checkbox"/> Evening shift	


Step 4:  User Management window, click to add the new user info. Suppose there is user info in the software already. Then click  to the popup window. Right click to choose the persons on the left column, then click “Default Att” to select “S-Group” and working group, then click “Apply” to affect the setting.



4. What is the data downloaded by the USB flash driver?

- A. GLG_001.TXT: is the new attendance record.
- B. AGL_001.TXT: is all the attendance record.
- C. SLG_001.TXT: is the super administrator operation record.
- D. AFP_001.TXT and AFP_001.DAT: are the files when you download all the enroll info.

5. How to reset the administrator password of the RIMS software.

Enter the “Maintenance” window, click  Administrator , then input the “original password”, “New password” and “Re-enter password”.

If there’s no any password before, then leave the “original password” as blank.

6. How to empty all the data on the RIMS software?

Enter the “Maintenance” window, click  Data Maintenance , then click

 Remove historical data , click “OK” in the prompt window.

Attention: all the data (including the attendance record and the user info) in the RIMS will be empty.

7. Why can’t I install the Framework?

You're not the system administrator of the windows;

②The installation has been estimated threatening and been stopped (you should close the anti-virus software first, restart the computer when the installation is finished) .

8. Why the Device fails to connect with PC?

- ①Check if the data cable of the machine is correct;
- ②Check if the power line is working and start up the machine;
- ③Check if the communication mode and parameter are correct;
- ④If using the USB communication, check out whether the USB driver is set up or not;
- ⑤If none of the above reasons, please open and run the Check.exe under the Rims installation directory.

9. How to install the driver for the USB communication device? (The installation is no need for serial interface, TCP/IP devices)

The prompt box will display Successful Connect after the connection, insert CD and click Next step.

10. The time of the machine is not correct, what should I do?

Device Management → Normal → Synchronous Time Device (Synchronize device time and the current computer time.)

11. How to display the username on the screen of the machine? (Follow this method to copy fingerprint data when there're 2 or more machines.)

Get the Device connected; User Management → choose the Device ID (Device); right-click the chosen user → Get all Enroll → Upload Enroll → Upload Username.

12. Why there's no data in the report?

- ①Check if the data has been acquired;
- ②Check if the personnel information is written;
- ③Check whether the Enroll ID is in accordance with the number of the attendance machine or not;
- ④Check if the personnel's date of entry is correct;

- ⑤ Check whether the default shift is correct or not;
- ⑥ Check if the machine time, report query time is correct;
- ⑦ Check if the data statistics has been done.

13. There are too many columns in the report, what should I do to delete some of them?

Right-click the column of the report → display/hidden columns → select the wanted/unwanted ones → save.

14. What can I set in the Attendance Rule Setting?

Attendance management → Attendance Rule: Late/Early/Absence rules, Duty time, Shift, Weekend, Holiday, Overtime Rules.

15. What can I do with the data after reinstalling operating system?

System Maintenance → Restore DB; re-input the personnel name, enroll ID (which will display in the screen of the machine when punching the card) and other information, acquire all the data again, then process the data.

16. The device cannot be entered when the administrator is changed, what should I do?

Device management → Normal → Cancel Administrative Authority; Re-enroll the administrator.

17. Is there any electronic document for help?

Right-click the blank area of the software → Help → Online User Manual

18. What operations should be handed over when the administrator's resigning?

Fingerprint enroll, backup enroll, administrator enroll, cancel administrative enrollment.